

Stand: September 2010

List of publications 1992-2010

Prof Dr. Inga D. Neumann

Peer-reviewed papers

Neumann ID, Veenema AH, Beiderbeck DI (2010) Aggression and anxiety: social context and neurobiological links. *Front Behav Neurosci* 2010 Mar 30 [PubMed - in process]

Bosch OJ, Neumann ID (2010) Vasopressin released within the central amygdala promotes maternal aggression. *Eur J Neurosci* 31(5):883-91.

Veenema AH, Beiderbeck DI, Lukas M, Neumann ID (2010) Distinct correlations of vasopressin release within the lateral septum and the bed nucleus of the stria terminalis with the display of intermale aggression. *Horm Behav* 58(2):273-81.

Slattery DA, Neumann I, Cryan JF (2010) Transient inactivation of the infralimbic cortex induces antidepressant-like effects in the rat. *J Psychopharmacol* 2010 Jun 8. [Epub ahead of print]

Kessler MS, Bosch OJ, Bunck M, Landgraf R, Neumann ID (2010) Maternal care differs in mice bred for high vs. low trait anxiety: Impact of brain vasopressin and cross-fostering. *Soc Neurosci* Jul 21:1-13. [Epub ahead of print]

Slattery DA and Neumann ID (2010) Oxytocin and Major Depressive Disorder: Experimental and Clinical Evidence for Links to Aetiology and Possible Treatment *Pharmaceuticals* 3:702-724. Review

Meinlschmidt G, Martin C, Neumann ID, Heinrichs M. (2010) Maternal cortisol in late pregnancy and hypothalamic–pituitary–adrenal reactivity to psychosocial stress postpartum in women. *Stress* 13(2):163-71.

Bosch OJ, Pförttsch J, Beiderbeck DI, Landgraf R, Neumann ID (2010) Maternal behaviour is associated with vasopressin release in the medial preoptic area and bed nucleus of the stria terminalis in the rat. *J Neuroendocrinol* Feb 12. [Epub ahead of print] PMID: 20163514 [PubMed - as supplied by publisher]

Lukas M, Bredewold R, Neumann ID, Veenema AH (2010) Maternal separation interferes with developmental changes in brain vasopressin and oxytocin receptor binding in male rats. *Neuropharmacology* 58(1):78-87.

Waldherr M, Nyuyki K, Maloumby R, Bosch OJ, Neumann ID (2010) Attenuation of the neuronal stress responsiveness and corticotrophin releasing hormone synthesis after sexual activity in male rats. *Horm Behav* 57(2):222-9.

Slattery DA, Neumann ID (2010) Chronic icv oxytocin attenuates the pathological high anxiety state of selectively bred Wistar rats. *Neuropharmacology* 58(1):56-61.

- Wagner K, Couillard-Despres S, Lehner B, Brockhoff G, Rivera FJ, Blume A, Neumann I, Aigner L (2009) Prolactin induces MAPK signaling in neural progenitors without alleviating glucocorticoid-induced inhibition of in vitro neurogenesis. *Cell Physiol Biochem* 24(5-6):397-406.
- Blume A, Torner L, Liu Y, Subburaju S, Aguilera G, Neumann ID (2009) Prolactin induces Egr-1 gene expression in cultured hypothalamic cells and in the rat hypothalamus. *Brain Res* 1302:34-41.
- Ross HE, Cole CD, Smith Y, Neumann ID, Landgraf R, Murphy AZ, Young LJ (2009) Characterization of the oxytocin system regulating affiliative behavior in female prairie voles. *Neuroscience* 162(4):892-903.
- Neumann ID (2009) The advantage of social living: brain neuropeptides mediate the beneficial consequences of sex and motherhood. *Front Neuroendocrinol.* 30(4):483-96. Review
- Donner N, Neumann ID (2009) Effects of chronic intracerebral prolactin on the oxytocinergic and vasopressinergic system of virgin ovariectomized rats. *Neuroendocrinology* 90(3):315-22.
- Wiehager S, Beiderbeck DI, Gruber SH, El-Khoury A, Wamsteeker J, Neumann ID, Petersén A, Mathé AA (2009) Increased levels of cocaine and amphetamine regulated transcript in two animal models of depression and anxiety. *Neurobiol Dis* 34(2):375-80.
- Bosch OJ, Nair HP, Ahern TH, Neumann ID, Young LJ (2009) The CRF system mediates increased passive stress-coping behavior following the loss of a bonded partner in a monogamous rodent. *Neuropsychopharmacology* 34:1406-1415.
- Veenema AH, Neumann ID (2009) Maternal separation enhances offensive play-fighting, basal corticosterone and hypothalamic vasopressin mRNA expression in juvenile male rats. *Psychoneuroendocrinology* 34, 463-467.
- Lucassen PJ, Bosch O, Jousma E, Krömer SA, Andrew R, Seckl JR and Neumann ID (2009) Prenatal stress reduces postnatal neurogenesis in rats selectively bred for high, but not low anxiety: possible key role of placental 11 β -hydroxysteroid dehydrogenase type 2. *Eur J Neurosci* 29: 97-103.
- Blume A, Torner L, Liu Y, Subburaju S, Aguilera G, Neumann ID (2009) Prolactin activates mitogen-activated protein (MAP) kinase signaling and corticotropin releasing hormone (CRH) transcription in rat hypothalamic neurons. *Endocrinology* 150(4):1841-9.
- Singewald GM, Nguyen NK, Neumann ID, Singewald N, Reber SO (2009) Effect of chronic psychosocial stress-induced by subordinate colony (CSC) housing on brain neuronal activity patterns in mice. *Stress* 12(1): 58–69.
- Torner L, Karg S, Blume A, Kandasamy M, Kuhn H-G, Winkler J, Aigner L, Neumann ID (2009) Prolactin prevents chronic stress-induced decrease of

- hippocampal neurogenesis and promotes neuronal fate. *J Neuroscience* 29(6):1826-33.
- Neumann ID, Landgraf R (2008) Advances in vasopressin and oxytocin--from genes to behaviour to disease. Preface. *Prog Brain Res* 170:xi-xiii.
- Bosch OJ, Neumann ID (2008) Brain vasopressin is an important regulator of maternal behavior independent of dams' trait anxiety. *PNAS* 105:17139-144.
- Reber S and Neumann I (2008) Defensive behavioural strategies and enhanced state anxiety during chronic subordinate colony housing are accompanied by reduced hypothalamic vasopressin, but not oxytocin, expression. *Stress, Neurotransmitters, and Hormones: Ann. N.Y. Acad. Sci.* 1148: 184-195
- Neumann ID (2008) Brain oxytocin mediates beneficial consequences of close social interactions: From Maternal love and sex. In: *Hormones and Social Behavior*. Pfaff, DW, Kordon C, Chanson P, Christen Y (Eds.), Springer, pp. 81-101.
- Veenema AH, Neumann ID. Central vasopressin and oxytocin release: regulation of complex social behaviours. *Prog Brain Res* 2008;170:261-76.
- Reber SO, Obermeier F, Straub RH, Veenema AH, Neumann ID (2008) Aggravation of DSS-induced colitis after chronic subordinate colony (CSC) housing is partially mediated by adrenal mechanisms. *Stress* 11(3):225-34.
- Neumann ID (2008) Brain Oxytocin: A key regulator of emotional and social behaviours in both females and males. *J. Neuroendocrinol* 20(6):858-865
- Blume A, Bosch OJ, Miklos S, Torner L, Wales L, Waldherr M, Neumann ID. (2008) Oxytocin reduces anxiety via ERK1/2 activation: local effect within the rat hypothalamic paraventricular nucleus. *Eur J Neurosci* 27(8):1947-56.
- Veenema AH, Reber SO, Selch S, Obermeier F, Neumann ID (2008) Early life stress enhances the vulnerability to chronic psychosocial stress and experimental colitis in adult mice. *Endocrinology* 149(6):2727-36.
- Slattery DA, Neumann ID (2008) No stress please! Mechanisms of stress hyporesponsiveness of the maternal brain. *J Physiol* 586(2):377-85.
- Beiderbeck DI, Neumann ID, Veenema AH (2007) Differences in intermale aggression are accompanied by opposite vasopressin release patterns within the septum in rats bred for low and high anxiety. *Eur J Neurosci* 26(12):3597-605.
- Neumann ID (2007) Oxytocin: The Neuropeptide of love reveals some of its secrets. *Cell Metabolism* 5:231-233.
- Neumann ID (2007) Stimuli and consequences of dendritic release of oxytocin within the brain. *Biochem Soc Trans* 35(Pt 5):1252-7. Review.
- Veenema AH, Neumann ID (2007) Neurobiological Mechanisms of Aggression and Stress Coping: A Comparative Study in Mouse and Rat Selection Lines. *Brain Behav Evol* 70: 274-285.

- Waldherr M, Neumann ID (2007) Centrally released oxytocin mediates mating-induced anxiolysis in male rats. *Proc Natl Acad Sci U S A* 104(42):16681-4.
- Bosch OJ, Sartori SB, Singewald N, Neumann ID (2007) Extracellular amino acid levels in the paraventricular nucleus and the central amygdala in high- and low-anxiety dams rats during maternal aggression: Regulation by oxytocin. *Stress* 10(3):261-70.
- Ditzen B, Neumann ID, Bodenmann G, von Dawans B, Turner RA, Ehlert U, Heinrichs M (2007) Effects of different kinds of couple interaction on cortisol and heart rate responses to stress in women. *Psychoneuroendocrinology* 32(5):565-74.
- Jochum T, Boettger MK, Wigger A, Beiderbeck DI, Neumann I, Landgraf R, Sauer H, Baer KJ (2007) Decreased sensitivity to thermal pain in rats bred for high anxiety-related behaviour is attenuated by citalopram or diazepam treatment. *Behav Brain Res* 183(1):18-24.
- Veenema AH, de Kloet ER, de Wilde MC, Roelofs AJ, Buwalda B, Neumann ID, Koolhaas JM, Lucassen PJ (2007) Differential effects of stress on adult hippocampal cell proliferation in low and high aggressive mice. *J Neuroendocrin.* 19(7):489-98.
- Veenema AH, Bredewold R, Neumann ID (2007) Opposite effects of maternal separation on intermale and maternal aggression in C57BL/6 mice: Link to hypothalamic vasopressin and oxytocin immunoreactivity. *Psychoneuroendocrinology* 32(5):437-50.
- Donner N, Bredewold R, Maloumy R, Neumann ID (2007) Chronic intracerebral prolactin attenuates neuronal stress circuitries in virgin rats. *Eur J Neurosci.* 25: 1804-14.
- Douglas AJ, Meddle SL, Kroemer S, Muesch W, Bosch OJ, Neumann ID (2007) Social stress induces hypothalamo-pituitary-adrenal axis responses in lactating rats bred for high trait anxiety. *Eur J Neurosci.* 25(5):1599-603.
- Bosch OJ, Musch W, Bredewold R, Slattery DA, Neumann ID (2007) Prenatal stress increases HPA axis activity and impairs maternal care in lactating female offspring: Implications for postpartum mood disorder. *Psychoneuroendocrinology* 32(3):267-78
- Muigg P, Hoelzl U, Palfrader K, Neumann I, Wigger A, Landgraf R, Singewald N (2007) Altered brain activation pattern associated with drug-induced attenuation of enhanced depression-like behavior in rats bred for high anxiety. *Biol Psychiatry* 61(6):782-96
- Reber S, Birkeneder L, Obermeier F, Falk W, Straub RH, Neumann ID (2007) Adrenal insufficiency and colonic inflammation after a novel chronic psychosocial stress paradigm in mice: implications and mechanisms. *Endocrinology* 148(2):670-82.
- Veenema AH, Torner L, Blume A, Beiderbeck DI, Neumann ID (2007) Low inborn anxiety correlates with high intermale aggression: Link to ACTH response and

neuronal activation of the hypothalamic paraventricular nucleus. *Horm. Behav.* 51(1):11-9.

- Neumann, ID (2007) Veränderungen oder emotionalen und neuroendokrinen Stressreaktion während Schwangerschaft und Laktation – Einfluss intrazerebraler Neuropeptide. *Psychodynamische Psychotherapie* 6: 27-38.
- Bosch OJ, Muesch W, Bredewold R, Slattery DA, Neumann ID (2007) Opposing effects of prenatal stress on HPA axis activity and maternal care in lactating female offspring: implications for postpartum mood disorders. *Psychoneuroendocrinology* 32: 267-278.
- Veenema AH, Blume A, Niederle D, Buwalda B, Neumann ID (2006). Effects of early life stress on adult male aggression and hypothalamic vasopressin and serotonin. *Eur. J. Neurosci.* 24(6):1711.
- Reber SO, Birkeneder L, Veenema AH, Obermeier F, Falk W, Straub RH, Neumann ID (2007): Effects of a chronic psychosocial stressor (subdominant colony housing) on histological damage of the murine colon: underlying neuronal and neuroendocrine mechanisms *Endocrinology* 148(2):670-82.
- Reber SO, Obermeier F, Straub RH, Falk W, Neumann ID (2006). Chronic intermittent psycho-social stress in mice increases the severity of an acute DSS-induced colitis and additionally impairs regeneration. *Endocrinology* 147(10): 4968-4976.
- Neumann ID, Torner L, Toschi N, Veenema AH (2006) Oxytocin actions within the supraoptic and paraventricular nuclei: differential effects on peripheral and intranuclear vasopressin release. *Am J Physiol (Regul. Integr. Comp. Physiol.)* 291(1):R29-36.
- Bosch OJ, Kromer SA, Neumann ID (2006) Prenatal stress: opposite effects on anxiety and hypothalamic expression of vasopressin and corticotropin-releasing hormone in rats selectively bred for high and low anxiety. *Eur. J. Neurosci.* 23(2):541-551.
- Bosch OJ, Meddle S, Beiderbeck DI, Douglas AJ, Neumann ID (2005) Brain oxytocin regulates maternal aggression in lactating high and low anxiety rats. *J. Neurosci.* 25(29): 6807-6815.
- Neumann ID (2005) Adaptationen der Streßbewältigung peripartum: Sind Oxytocin und Prolaktin involviert? *J. Neurol. Neurochir. Psychiatr.* 3:16-21.
- Neumann ID, Wigger A, Krömer S, Frank E, Landgraf R., Bosch OJ (2005) Differential effects of periodic maternal separation on adult stress coping in a rat model of extremes in trait anxiety. *Neuroscience* 132(3):867-877.
- Douglas AJ, Meddle SL, Toschi N, Bosch OJ, Neumann I. Reduced activity of the noradrenergic system in the paraventricular nucleus at the end of pregnancy: implications for stress hyporesponsiveness. *J. Neuroendocrinol.* 17(1):40-48
- Ebner K, Bosch OJ, Krömer SA, Singewald N, Neumann ID. (2005) Release of oxytocin in the rat central amygdala modulates stress-coping behaviour and the release of excitatory amino acids. *Neuropsychopharmacology* 30: 223-230.

- Neumann ID, Krömer S, Bosch O (2005) Effects of psycho-social stress during pregnancy on neuroendocrine and behavioural parameters in lactation depend on the genetically determined stress vulnerability. *Psychoneuroendocrinology* 30:791-806
- Theodosios DT, Schachner M, Neumann ID (2004) Oxytocin neuron activation in NCAM deficient mice: Anatomical and functional consequences. *Eur. J. Neurosci.* 20 (12):3270-80.
- Wigger A, Sánchez MM, Mathys KC, Ebner K, Liu D, Kresse A, Neumann ID, Holsboer F, Plotsky PM, Landgraf R (2004) Alterations in central neuropeptide expression, release, and receptor binding in rats bred for high anxiety: critical role of vasopressin. *Neuropsychopharmacology* 29(1):1-14.
- Torner L, Maloumby R, Nava G, Clapp C, Neumann ID (2004) In vivo release and gene upregulation of brain prolactin in response to physiological stimuli. *Eur. J. Neurosci.* 19:1-8.
- Bosch OJ, Kroemer SA, Neumann ID (2004) Release of oxytocin in the hypothalamic paraventricular nucleus, but not central amygdala or lateral septum in lactating residents and virgin intruders during maternal defense. *Neuroscience* 124: 439-448.
- Landgraf R, Frank E, Aldag JM, Neumann ID, Sharer CA, Ren X, Terwilliger EF, Niwa M, Wigger A, Young LJ (2003) Viral vector-mediated gene transfer of the vole V1a vasopressin receptor in the rat septum: improved social discrimination and active social behaviour. *Eur. J. Neurosci.* 18(2):403-11.
- Douglas A, Brunton PJ, Bosch O, Russell JA, Neumann ID (2003) Neuroendocrine responses to stress in mice: hyporesponsiveness in pregnancy and parturition. *Endocrinology* 144 (12):5268-76.
- Neumann ID, Bosch OJ, Toschi N, Torner L, Douglas AJ (2003) No stress response of the hypothalamo-pituitary-adrenal axis in parturient rats: Lack of involvement of brain oxytocin. *Endocrinology* 144(6):2473-2479.
- Lancel M, Krömer S, Neumann ID (2003) Intracerebral oxytocin modulates sleep-wake behaviour in male rats. *Reg. Peptides* 114: 145-152.
- Neumann ID (2003) Brain mechanisms underlying emotional alterations in the peripartum period in rats. *Depression and Anxiety* 17: 111-121.
- Wigger A., Neumann I.D. (2002) Endogenous opioid regulation of oxytocin release within the hypothalamic paraventricular nucleus is reversed in late pregnancy: an in vivo microdialysis study. *Neuroscience* 112(1):121-9.
- Neumann ID (2002) Involvement of the brain oxytocin system in stress coping: interactions with the hypothalamo-pituitary-adrenal axis. Vasopressin and oxytocin; from genes to clinical applications. *Prog. Brain Res.* 139: 147-162.
- Neumann I.D. (2002) Stress, Gender and Motherhood (II). *Stress* 5: 233-234
- Torner L, Toschi N, Nava G, Clapp C, Neumann ID (2002) Increased hypothalamic expression of prolactin in lactation: involvement in behavioural and neuroendocrine stress responses. *Eur. J. Neurosci.* 15: 1381-1389.

- Torner L, Neumann ID (2002) The brain prolactin system: involvement in stress response adaptations in lactation. *Stress* 5: 249-257.
- Heinrichs M, Neumann ID, Ehlert U (2002) Lactation and Stress: Protective effects of breast-feeding in Humans. *Stress* 5: 249-257.
- Keck ME, Wigger A, Welt T, Muller MB, Gesing A, Reul JM, Holsboer F, Landgraf R, Neumann ID (2002) Vasopressin mediates the response of the combined dexamethasone/CRH test in hyper-anxious rats: implications for pathogenesis of affective disorders. *Neuropsychopharmacology* 26: 94-105.
- Neumann ID, Toschi N, Ohi F, Torner L, Krömer S (2001) Maternal defence as an emotional stressor in female rats: correlation of neuroendocrine and behavioural parameters and involvement of brain oxytocin. *Eur. J. Neurosci.* 13 (5): 1016-1024.
- Torner L, Toschi N, Pohlinger A, Landgraf R, Neumann ID (2001) Anxiolytic and anti-stress effects of brain prolactin: improved efficacy of antisense targeting of the prolactin receptor by molecular modeling. *J. Neurosci.* 21 (9): 3207-3214.
- Heinrichs M, Meinschmidt G, Neumann ID, Wagner S, Kirschbaum C, Ehlert U, Hellhammer DH (2001) Effects of suckling on hypothalamic-pituitary-adrenal axis responses to psychosocial stress in postpartum lactating women. *J. Clin. Endocrinol. Metab.* 86: 4798-4801.
- Neumann I, Torner L, Wigger A (2000) Brain oxytocin: Differential inhibition of neuroendocrine stress responses and anxiety-related behaviour in virgin, pregnant and lactating rats. *Neuroscience* 95: 567-575.
- Neumann ID, Wigger A, Torner L, Holsboer F, Landgraf R (2000) Brain oxytocin inhibits basal and stress-induced activity of the hypothalamo-pituitary-adrenal axis in male and female rats: partial action within the paraventricular nucleus. *J. Neuroendocrinol.* 12: 235-244
- Neumann ID, Toschi N (2000) Sequence design and practical implementation of antisense oligonucleotides in neuroendocrinology. *Methods Enzymol.* 314:223-38.
- Hatzinger M, Wotjak CT, Naruo T, Simchen R, Keck M, Landgraf R, Holsboer F, Neumann ID (2000) Endogenous vasopressin contributes to hypothalamic-pituitary-adrenal alterations in aged rats. *J. Endocrinol.* 164:197-205.
- Blackburn-Munro G, Brown C, Neumann I.D, Leng G, Landgraf R, Russell JA (2000) Verapamil prevents withdrawal excitation of oxytocin neurons in morphine-dependent rats. *Neuropharmacology* 39: 1596-1607.
- Keck M, Hatzinger M, Wotjak CT, Landgraf R, Holsboer F, Neumann ID (2000) Ageing alters intrahypothalamic release patterns of vasopressin and oxytocin in rats. *Eur. J. Neurosci.* 12: 1487-1494.
- Keck M, Engelmann M, Müller MB, Henniger M, Hermann B, Rupprecht R, Neumann ID, Toschi N, Landgraf R, Post A (2000) Repetitive transcranial magnetic stimulation induces active coping strategies and attenuates the neuroendocrine stress response in rats. *J. Psychiatr. Res.* 34: 265-276.

- Johnstone HA, Wigger A, Douglas AJ, Neumann ID, Landgraf R, Seckl JR, Russell JA (2000) Attenuation of hypothalamic-pituitary-adrenal axis stress responses in late pregnancy: changes in feed-forward and feed-back mechanisms. *J. Neuroendocrinol.* 12: 811-822.
- Neumann ID, Krömer SA, Toschi N, Ebner K (2000) Brain oxytocin inhibits the (re)activity of the hypothalamo-pituitary-adrenal axis in male rats: involvement of hypothalamic and limbic brain regions. *Regul. Peptides* 1, 31-38.
- Wigger A, Neumann ID (1999) Periodic maternal deprivation induces chronic and gender-dependent alterations in behavioural and neuroendocrine responses. *Physiol. Behav.* 66 (2): 293-302.
- Wigger A, Oehler I, Lörcher P, Keck M, Naruo T, Neumann ID (1999) Non-responsiveness of the HPA axis to parturition-related events in the rat: involvement of endogenous opioids. *Endocrinology* 140: 2843-2849.
- Landgraf R, Wigger A, Holsboer F, Neumann I (1999) Hyperreactive hypothalamo-pituitary-adrenocortical (HPA) axis in rats bred for high anxiety-related behaviour (rapid communication). *J. Neuroendocrinol.* 11: 405-407.
- Neumann ID, Johnstone H, Hatzinger M, Landgraf R, Russell JA, Douglas A (1998) Neuroendocrine adaptations of the hypothalamo-pituitary-adrenal (HPA) axis throughout pregnancy. *J. Physiol.* 508: 289-300
- Douglas AJ, Johnstone H, Landgraf R, Russell JA, Neumann ID (1998) The role of endogenous opioids in neurohypophysial and hypothalamo-pituitary-adrenal axis hormone secretory responses to stress in pregnant rats. *J. Endocrinol.* 158: 285-293
- Neumann ID, Wigger A, Liebsch G, Holsboer F, Landgraf R (1998) Increased basal activity of the hypothalamo-pituitary-adrenal axis during pregnancy in rats bred for high anxiety-related behaviour. *Psychoneuroendocrinology* 23: 449-463.
- Liebsch G, Linthorst A, Neumann ID, Reul JMHM, Holsboer F, Landgraf R (1998) Behavioural, physiological, and neuroendocrine stress responses and differential sensitivity to diazepam in two Wistar rat lines bred for high and low anxiety-related behaviour. *Neuropsychopharmacology* 19: 381-396
- Ludwig M, Johnstone L, Neumann I, Landgraf R, Russell JA (1997) Direct hypertonic stimulation of the rat supraoptic nucleus increases c-fos expression in glial cells rather than magnocellular neurons. *Cell Tissue Res.* 287:79-90.
- Neumann I, Douglas A, Pittman Q.J, Russell JA, Landgraf R (1996) Oxytocin released within the supraoptic nucleus of the rat brain by positive feedback action is involved in parturition-related events. *J Neuroendocrinol.* 8: 227-233.
- Hatzinger M, Reul HJM, Landgraf R, Holsboer F, Neumann I (1996) Combined dexamethasone/CRH test in rats: Hypothalamo-pituitary-adrenal system alterations in aging. *Neuroendocrinology* 64: 349-356.
- Wotjak CT, Kubota M, Ganster J, Liebsch G, Montkowski A, Holsboer F, Neumann I, Landgraf R (1996) Release of vasopressin within the rat paraventricular

- nucleus in response to emotional stress: A novel mechanism of regulating ACTH secretion? *J. Neurosci.* 16: 7725-7732.
- Neumann I, Landgraf R, Bauce L, Pittman QJ (1995) Osmotic responsiveness and crosstalk involving oxytocin, but not vasopressin or amino acids, between the supraoptic nuclei in virgin and lactating rats. *J. Neurosci.* 15: 3408-3417.
- Landgraf R, Neumann I, Holsboer F, Pittman QJ (1995) Interleukin 1- β stimulates both central and peripheral release of vasopressin and oxytocin in the rat. *Eur. J. Neurosci.* 7: 592-598.
- Neumann I, Kremarik P, Pittman QJ (1995) Acute, sequence-specific effects of oxytocin and vasopressin antisense oligonucleotides on neuronal responses. *Neuroscience* 69: 997-1003.
- Douglas AJ, Neumann I, Meeren HKM, Leng G, Johnstone LE, Munro G, Russell JA (1995) Central endogenous opioid inhibition of supraoptic oxytocin neurons in pregnant rats. *J. Neurosci.* 15: 5049-5057.
- Neumann I, Koehler E, Landgraf R, Summy-Long JY (1994) An oxytocin receptor antagonist infused into the supraoptic nucleus attenuates intranuclear and peripheral release of oxytocin during suckling in conscious rats. *Endocrinology* 134: 141-148.
- Ludwig M, Callahan MF, Neumann I, Landgraf R, Morris M (1994) Systemic osmotic stimulation increases vasopressin and oxytocin release within the supraoptic nucleus. *J. Neuroendocrinol.* 6: 369-373.
- Summy-Long JY, Neumann I, Terrell ML, Koehler E, Gestl S, Landgraf R, Kadarko M (1994) Crosstalk in the magnocellular system during osmotic stimulation of one supraoptic nucleus. *Brain Res. Bull.* 33: 645-654.
- Neumann I, Porter D, Landgraf R, Pittman QJ (1994) Rapid effect on suckling of an oxytocin antisense oligonucleotide administered into rat supraoptic nucleus. *Am. J. Physiol.* 267: R852-R858.
- Neumann I, Landgraf R, Takahashi Y, Pittman QJ, Russell JA (1994) Stimulation of oxytocin release within the supraoptic nucleus and into blood by CCK-8. *Am. J. Physiol.* 267: R1626-R1631.
- Neumann I, Russell JA, Landgraf R (1993) Oxytocin and vasopressin release within the supraoptic and paraventricular nuclei of pregnant, parturient and lactating rats: a microdialysis study. *Neuroscience* 53: 65-75.
- Neumann I, Ludwig M, Engelmann M, Pittman QP, Landgraf R (1993) Simultaneous microdialysis in blood and brain: oxytocin and vasopressin release in response to central and peripheral osmotic stimulation and suckling in the rat. *Neuroendocrinology* 58: 637-645.
- Douglas AJ, Clarke G, MacMillan SJA, Bull PM, Way SA, Wright DM, McGrory BG, Neumann I, Russell JA (1993) Effects of the kappa-opioid agonist U50,488 on parturition in rats. *Br J Pharmacol.* 109: 251-258.
- Summy-Long JY, Neumann I, Terrell ML, Koehler E, Mantz S, Landgraf R, Kadarko M (1993) Metabolic activation of the magnocellular system during

lactation by microdialysis of hypertonic CSF into one supraoptic nucleus. *Ann. N.Y. Acad. Sci.* 689: 645-649.

Neumann I, Russell JA, Landgraf R (1992) Endogenous opioids regulate intracerebral oxytocin release during parturition in a region-specific manner. *Progr. Brain Res.* 91: 55-58.

Russell JA, Neumann I, Landgraf R (1992) Oxytocin and vasopressin release in discrete brain areas after naloxone in morphine-tolerant and -dependent anesthetized rats: a push-pull perfusion study. *J. Neurosci.* 12: 1024-1032.

Neumann I, Russell JA, Wolff B, Landgraf R (1991) Naloxone increases the release of oxytocin, but not vasopressin, within limbic brain areas of conscious parturient rats: a push-pull perfusion study. *Neuroendocrinology* 54: 545-551.

Landgraf R, Neumann I, Pittman QJ (1991) Septal and hippocampal release of vasopressin and oxytocin during late pregnancy and parturition in the rat. *Neuroendocrinology* 54: 378-383.

Neumann I, Landgraf R (1989) Septal and hippocampal release of oxytocin, but not vasopressin, in the conscious lactating rat during suckling. *J. Neuroendocrinol.* 1: 305-308.

Neumann I, Schwarzberg H, Landgraf R (1988) Measurement of septal release of vasopressin and oxytocin by the push-pull technique following electrical stimulation of the paraventricular nucleus of rats. *Brain Res.* 462: 181-184.

Landgraf R, Neumann I, Schwarzberg H (1988) Central and peripheral release of vasopressin and oxytocin in the conscious rat after osmotic stimulation. *Brain Res.* 457: 219-225.

Reviews and Bookchapters

- Landgraf R, Neumann ID (2004) Vasopressin and oxytocin release within the brain: a dynamic concept of multiple and variable modes of neuropeptide communication. *Frontiers in Neuroendocrinology* 25, 150-176.
- Neumann ID (2002) Involvement of the brain oxytocin system in stress coping: interactions with the hypothalamo-pituitary-adrenal axis. *Progress in Brain Research* 139, 47-162.
- Neumann ID (2001) Alterations in behavioural and neuroendocrine stress coping strategies in pregnant, parturient and lactating rats. in *The Maternal Brain*, (eds. Russell et al.) *Progress in Brain Research* 133, pp 143-152.
- Neumann ID (2000) Antisense oligodeoxynucleotide effects on the hypothalamo-neurohypophysial system and the hypothalamo-pituitary adrenal axis. *Methods* 22: 227-237.
- Neumann ID (2000) Editorial: Antisense oligonucleotides in neuroendocrinology. *Methods* 22: 195-196.
- Neumann ID, Toschi N. (1999) Sequence design and practical implementation of antisense oligonucleotides in neuroendocrinology. *Methods in Enzymology* 314: pp23-35.
- Russell JA, Johnstone H, Douglas AJ, Landgraf R, Wigger A, Shipston M, Seckl JR and Neumann ID (1999) Neuroendocrine stress mechanisms regulating ACTH and oxytocin in pregnancy. In: *Control Mechanisms of Stress and Emotions: Neuroendocrine-Based Studies* (H. Yamashita, ed.), Elsevier, pp33-51.
- Neumann ID, Pittman QJ (1998) Rapid onset of antisense effects: evidence for a close link between gene expression and neuronal activity. In: *Modulating gene expression by antisense oligonucleotides to understand neuronal functioning*. M.M. McCarthy (ed.) Kluwer Academic Publishers, Boston, pp. 43-60.
- Landgraf R., Wotjak C.T., Neumann I., Engelmann M. (1998) Release of vasopressin within the brain contributes to neuroendocrine and behavioural regulation. *Progress in Brain Research* 119: 201-220.
- Landgraf R., Naruo T., Veczernyes M., Neumann I.D. (1997) Antisense targeting in behavioural neuroendocrinology. *European Journal of Endocrinology* 137: 326-335
- Douglas AJ, Antonijevics IA, Neumann ID, Russell JA (1997) The key role of maternal neurohypophyseal oxytocin in parturition. In: eds. Maeda KI., Tsukamura H., Yokoyama A. *Neural control of reproduction: physiology and behavior*. Japan Scientific Societies Press & Karger, Tokyo, pp 121-133.
- Neumann ID (1997) Antisense oligonucleotides in neuroendocrinology: Enthusiasm and frustration. *Neurochemistry International* 31: 363-378 .
- Engelmann M, Wotjak CT, Neumann I, Ludwig M, Landgraf R (1996) Behavioral consequences of intracerebral vasopressin and oxytocin: Focus on learning and memory. *Neuroscience and Biobehavioural Reviews* 20: 341-358.
- Neumann I, Kremarik P, Landgraf R, Pittman QJ (1995) Short-term effects of vasopressin and oxytocin antisense oligonucleotides on the activity of rat neurohypophysial neurons in vivo. In: *Neurohypophysis: Recent Progress of Vasopressin and Oxytocin Research*. Saito T., Kurokawa K. and Yoshida S. (eds.) Elsevier, pp. 113-129.

- Neumann I, Pittman QJ, Landgraf R (1995) Release of oxytocin within the supraoptic nucleus: Mechanisms, physiological significance and antisense targeting. In Oxytocin: Cellular and Molecular Approaches in Medicine and Research. Ivell R. and Russell J.A. (eds.) Advances in Experimental Medicine and Biology, Plenum Press, New York, Vol. 395, pp. 173-183.
- Pittman QP, Martin S, Neumann I, Wilkinson MF, Takahashi Y (1995) Central actions of arginine vasopressin to inhibit endotoxin and cytokine action. In: Neurohypophysis: Recent Progress of Vasopressin and Oxytocin Research. Saito, T., Kurokawa, K., Yoshida, S. (eds.), Elsevier, pp. 321-329.
- Landgraf R, Horn T, Neumann I, Pittman QJ, Ludwig M (1994) Effects of osmotic stimulation of the supraoptic nucleus on central and peripheral release of vasopressin and on baro- and thermoregulation. In: Integrative and Cellular Aspects of Autonomic Functions: Temperature- and Osmoregulation. K. Pleschka and R. Gerstberger (eds.), John Libbey Eurotext, Paris, pp. 419-428, Paris.
- Neumann I, Landgraf R (1992) Intrazerebrale Freisetzung der Neuropeptide Vasopressin und Oxytocin: Mikroperfusionstechniken, Stimuli, Konsequenzen. Zoologische Beiträge 34: 35-57.
- Landgraf R, Neumann I, Russell JA, Pittman QJ (1992) Push-Pull Perfusion and microdialysis studies of central oxytocin and vasopressin release in freely moving rats during pregnancy, parturition, and lactation. In: Oxytocin in Maternal, Sexual and Social Behaviors. C. Pedersen et al. (eds.) Ann. N. Y. Acad. Sci. USA 652: 326-339.